

COMPLETE LISTING OF CLAIMS

What is claimed is:

Claim 1 (original): An apparatus for supporting a computer monitor, the apparatus comprising:

a computer monitor base, including:

a bottom portion for placement on a surface;
a link coupled to the bottom portion; and
a monitor support member coupled to the link,
wherein a tilt angle of the monitor support member
is dependent on an adjustable height of the link.

Claim 2 (original): The apparatus of claim 1, wherein the monitor support member is configured to be attached to a computer monitor.

Claim 3 (original): The apparatus of claim 2, wherein the computer monitor is a liquid crystal display.

Claim 4 (original): The apparatus of claim 2, wherein the tilt angle determines a tilt of the computer monitor.

Claim 5 (original): The apparatus of claim 2, wherein the height of the link determines a height of the computer monitor.

Claim 6 (original): The apparatus of claim 2, further comprising:

a plurality of springs coupled to the link and configured to counter-balance a weight of the computer monitor that is attached to the monitor support member.

Claim 7 (original): The apparatus of claim 1, wherein the tilt angle increases in response to a decrease in the height.

Claim 8 (original): The apparatus of claim 1, wherein the tilt angle decreases in response to an increase in the height.

Claim 9 (original): The apparatus of claim 1, wherein the link comprises a first pair of top and bottom links, and a second pair of top and bottom links.

Claim 10 (original): The apparatus of claim 9, further comprising:

a plurality of springs coupled to the link and configured to provide spring resistance to the link when the link moves to another position.

Claim 11 (original): The apparatus of claim 10, wherein the plurality of springs comprises:

a first spring configured to provide spring resistance to the top link in the first pair of links;

a second spring configured to provide spring resistance to the bottom link in the first pair of links;

a third spring configured to provide spring resistance to the top link in the second pair of links; and

a fourth spring configured to provide spring resistance to the bottom link in the second pair of links.

Claim 12 (original): The apparatus of claim 1, further comprising:

at least once cover for covering at least a portion of the link.

Claim 13 (original): A method of assembling an apparatus for supporting a computer monitor, the method comprising:

assembling a bar link that includes a spring mechanism and screw elements 165;

attaching a computer monitor support member to the bar link; and

attaching the bar link to a base bottom portion.

Claim 14 (original): An apparatus produced in accordance with the method of claim 13.

Claim 15 (original): The method of claim 13 wherein the monitor support member is configured to be attached to a computer monitor.

Claim 16 (original): The method of claim 15, wherein the computer monitor is a liquid crystal display.

Claim 17 (original): The method of claim 13, wherein the monitor support member has a tilt angle that determines a tilt of a computer monitor.

Claim 18 (original): The method of claim 13, wherein the bar link has a height that determines a height of a computer monitor.

Claim 19 (original): The method of claim 13, wherein the spring mechanism comprises:

a plurality of springs coupled to the bar link and configured to counter-balance a weight of a computer monitor that is attached to the monitor support member.

Claim 20 (original): The method of claim 13, wherein the monitor support member has a tilt angle that increases in response to a decrease in height of the bar link.

Claim 21 (original): The method of claim 13, wherein the monitor support member has a tilt angle that decreases in response to an increase in height of the bar link.

Claim 22 (original): The method of claim 13, wherein the bar link comprises a pair of top and bottom links, and a second pair of top and bottom links.

Claim 23 (original): The method of claim 13, further comprising:

attaching at least once cover for covering at least a portion of the link.

Claim 24 (original): An apparatus for supporting a computer monitor, the apparatus comprising:

a computer monitor base, including:

means for placing the computer monitor base on a surface;

coupled to the means for placing, means for supporting a monitor and for providing a tilt angle to the monitor; and

coupled to the means for supporting, means for providing an adjustable height to a link, wherein the tilt angle is dependent on the adjustable height of the link.